THK
CUTTERS

PRODUCT CATALOG 2026

Cutting & Crimping Tools

Manufacturer in Taiwan · Family tool-making experience since 1986

Plastic Pipe Cutters · Tube Cutters · Replacement Blades · Cable Cutters · Ratcheting Cable Cutters · Crimping Tools · Hexagonal Crimping Tools · Bolt & Wire Rope Cutters



VC-200



VTC-150H



VL-63



VRC-325

OEM · Private Label · Export | thkcutters.com

MANUFACTURER OF CUTTING & CRIMPING TOOLS IN TAIWAN

About THK Cutters

THK Cutters (Taihe Kang International Co., Ltd.) manufactures pipe cutters, cable cutters, crimping tools and bolt cutters in our own factory in Taichung, Taiwan. Our family has been making hand tools since 1986, and today we supply importers, wholesalers, distributors and tool brands worldwide.

Since 1986

Family tool-making experience of nearly 40 years.

In-house production

Blade grinding, punching, drilling, tapping, pad printing and blister packaging in our own factory.

Replacement blades

Every plastic pipe cutter and tube cutter has a replacement blade — repeat business for your customers.

OEM & private label

Your logo, your packaging, flexible quantities from one carton per model.

SK5 blades for plastic pipe & tube cutters

Forged SCM440 cutting heads for cable cutters

JIS / DIN / AWG sizes for crimping tools

Contents

Plastic Pipe Cutters 03

Tube Cutters 04

Replacement Blades 05

Cable Cutters 06

Ratcheting Cable Cutters 07

Crimping Tools 08

Hexagonal Crimping Tools 10

Bolt & Wire Rope Cutters 11

OEM, Packaging & How to Order 12

FOR PVC, CPVC, PE AND OTHER PLASTIC PIPES

Plastic Pipe Cutters

Aluminum alloy bodies and SK5 blades for clean, controlled cuts from 25 mm (3/4″) up to 75 mm (2-1/2″) O.D. A replacement blade is available for every model.



VS-25
Up to 25 mm (3/4″)



VM-42
Up to 42 mm (1-1/4″)



VM-42ND
Up to 42 mm (1-1/4″)



VL-63
Up to 63 mm (2″)



VXL-75D
Up to 75 mm (2-1/2″)

Model	Max. O.D.	Body	Blade	Replacement blade	Package	Quantity	N.W./G.W. (kg)	Meas. (cu ft)
VS-25	25 mm / 3/4″	Aluminum alloy	SK5	VS-25-RBS	Blister card	15 pcs / inner box, 60 pcs / carton	18 / 20	2.6
VM-42	42 mm / 1-1/4″	Aluminum alloy	SK5	VM-42-RBS	Blister card	15 pcs / inner box, 60 pcs / carton	21.3 / 22.3	2.8
VM-42ND	42 mm / 1-1/4″	Aluminum alloy	SK5	VM-42ND-RBS	Clamshell	10 pcs / inner box, 30 pcs / carton	17 / 18	1.7
VL-63	63 mm / 2″	Aluminum alloy	SK5	VL-63-RBS	Carton	20 pcs / carton	24 / 25	2.5
VXL-75D	75 mm / 2-1/2″	Aluminum alloy	SK5	VXL-75D-RBS	White box	12 pcs / carton	23 / 24	2.2

VM-42ND: triangular blade design for sharper cutting compared with standard flat blades. Aluminum alloy bodies, SK5 blades.

LIGHTWEIGHT CUTTERS FOR TUBES AND HOSES

Tube Cutters

Nylon and aluminum alloy bodies with SK5 blades for tubes up to 80 mm (3″) O.D. Suitable for plumbing, installation, repair and maintenance work.



VS-32P
Up to 32 mm (1-1/4″)



VS-37A
Up to 37 mm (1-1/4″)



VS-58P
Up to 58 mm (2″)



VS-80P
Up to 80 mm (3″)


Model	Max. O.D.	Body	Blade	Replacement blade	Package	Quantity	N.W./G.W. (kg)	Meas. (cu ft)
VS-32P	32 mm / 1-1/4″	Nylon	SK5	VS-32P-RBS	Blister card	25 pcs / inner box, 100 pcs / carton	14 / 15	2.5
VS-37A	37 mm / 1-1/4″	Aluminum alloy	SK5	VS-37A-RBS	Blister card	25 pcs / inner box, 100 pcs / carton	23 / 24	2.5
VS-58P	58 mm / 2″	Nylon	SK5	VS-58P-RBS	Pouch	100 pcs / carton	12 / 13	1.5
VS-80P	80 mm / 3″	Nylon	SK5	VS-80P-RBS	Pouch	100 pcs / carton	16 / 17	1.8

VS-32P and VS-37A use the same replacement blade.


KEEP YOUR CUSTOMERS COMING BACK

Replacement Blades


Every THK plastic pipe cutter and tube cutter has a matching SK5 replacement blade (RBS), supplied separately for after-sales and repeat orders.




VS-25-RBS
for VS-25




VM-42-RBS
for VM-42




VM-42ND-RBS
for VM-42ND




VL-63-RBS
for VL-63




VXL-75D-RBS
for VXL-75D



VS-37A-RBS
for VS-37A / VS-32P



VS-58P-RBS
for VS-58P



VS-80P-RBS
for VS-80P

Cutter model	Replacement blade	Blade material
VS-25	VS-25-RBS	SK5
VM-42	VM-42-RBS	SK5
VM-42ND	VM-42ND-RBS	SK5
VL-63	VL-63-RBS	SK5
VXL-75D	VXL-75D-RBS	SK5
VS-32P	VS-32P-RBS (same as VS-37A-RBS)	SK5
VS-37A	VS-37A-RBS	SK5
VS-58P	VS-58P-RBS	SK5
VS-80P	VS-80P-RBS	SK5

FOR COPPER AND ALUMINUM CABLES

Cable Cutters

Long-handle cable cutters with forged SCM440 cutting heads for clean, efficient cutting of copper and aluminum cables from 100 mm² (4/0 AWG) up to 500 mm² (1000 MCM).



VC-100

JIS 100 mm² / AWG 4/0



VC-200

JIS 200 mm² / DIN 240 mm² / AWG 400 MCM



VC-250

JIS 250 mm² / AWG 500 MCM



VC-400

JIS 400 mm² / DIN 400 mm² / AWG 800 MCM



VC-400N

Up to 400 mm² / 800 MCM



VC-500

JIS 500 mm² / DIN 500 mm² / AWG 1000 MCM

Model	Max. cutting capacity (Cu & Al cable)	Body	Blade	Package	Quantity	N.W./G.W. (kg)	Meas. (cu ft)
VC-100	JIS 100 mm² · AWG 4/0	Aluminum alloy	SCM440	Carton	20 pcs / carton	20 / 21	2.6
VC-200	JIS 200 mm² · DIN 240 mm² · AWG 400 MCM	Steel tube	SCM440	Carton	10 pcs / carton	20 / 21	2.1
VC-250	JIS 250 mm² · AWG 500 MCM	Aluminum alloy	SCM440	Carton	10 pcs / carton	20 / 21	2.2
VC-400	JIS 400 mm² · DIN 400 mm² · AWG 800 MCM	Aluminum alloy	SCM440	Carton	5 pcs / carton	12 / 13	1.3
VC-400N	JIS 400 mm² · AWG 800 MCM	Contact us for details					
VC-500	JIS 500 mm² · DIN 500 mm² · AWG 1000 MCM	Aluminum alloy	SCM440	Carton	5 pcs / carton	15 / 16	2.1

LESS HAND EFFORT FOR LARGE CABLES

Ratcheting Cable Cutters

The ratcheting mechanism reduces hand effort and gives better control when cutting large copper and aluminum cables up to 500 mm² / 1000 MCM. S45C bodies, SCM440 blades.



VRC-325

JIS 325 mm² / DIN 300 mm² / AWG 600 MCM



VRC-500

JIS 500 mm² / DIN 500 mm² / AWG 1000 MCM



VRC-500N

JIS 500 mm² / DIN 500 mm² / AWG 1000 MCM

Model	Max. cutting capacity (Cu & Al cable)	Body	Blade	Package	Quantity	N.W./G.W. (kg)	Meas. (cu ft)
VRC-325	JIS 325 mm² · DIN 300 mm² · AWG 600 MCM	S45C	SCM440	Blister card	30 pcs / carton	20 / 21	2.2
VRC-500	JIS 500 mm² · DIN 500 mm² · AWG 1000 MCM	S45C	SCM440	Carton	10 pcs / carton	18 / 19	1.2
VRC-500N	JIS 500 mm² · DIN 500 mm² · AWG 1000 MCM	S45C	SCM440	Carton	10 pcs / carton	11 / 12.5	1.12

INDENT CRIMP · TERMINALS AND CABLE LUGS

Crimping Tools

Hand crimping tools for insulated and non-insulated terminals and cable lugs, marked with JIS, DIN and AWG sizes. Compact models in blister card packaging.



VTC-02
JIS 1.25–2 mm²



VTC-5.5
JIS 1.25–5.5 mm²



VTC-08
JIS 1.25–8 mm²



VTC-14
JIS 1.25–14 mm²




VTC-25
JIS 5.5–22 mm²



VTC-38N
JIS 5.5–38 mm²

Model	JIS (mm²)	DIN (mm²)	AWG	Package	Quantity	N.W./G.W. (kg)	Meas. (cu ft)
VTC-02	1.25, 2	1.5, 2.5	22-16, 16-14	Blister card	12 pcs / inner box, 48 pcs / carton	11 / 14.7	1.23
VTC-5.5	1.25, 2, 3.5, 5.5	1.5, 2.5, 4, 6	16-12, 10	Blister card	12 pcs / inner box, 48 pcs / carton	12 / 14	1.25
VTC-08	1.25, 2, 5.5, 8	1.5, 2.5, 6, 10	22-16, 16-14, 12-10, 8	Blister card	6 pcs / inner box, 24 pcs / carton	11.5 / 14.4	1.22
VTC-14	1.25, 2, 5.5, 8, 14	1.5, 2.5, 6, 10, 16	22-16, 16-14, 12-10, 8, 6	Blister card	6 pcs / inner box, 24 pcs / carton	12.5 / 15.5	1.22
VTC-25	5.5, 8, 14, 22	6, 10, 16	12-10, 8, 6, 4	Blister card	6 pcs / inner box, 24 pcs / carton	18.7 / 22.4	1.66
VTC-38N	5.5, 8, 14, 22, 38	6, 10, 16, 25, 50	10, 8, 6, 4, 1/0	Blister card	6 pcs / inner box, 24 pcs / carton	21.2 / 25	2.1



Indent (point) crimp profile

INDENT CRIMP · HEAVY-DUTY MODELS

Crimping Tools

Long-handle indent crimping tools for cable lugs up to 150 mm², for electrical installation and cable preparation.



VTC-38

JIS 8–38 mm²



VTC-60

JIS 14–60 mm²



VTC-80

JIS 14–80 mm²



VTC-100

JIS 22–100 mm²



VTC-120

JIS 8–100 mm²



VTC-150

JIS 8–150 mm²

Model	JIS (mm²)	DIN (mm²)	AWG	Package	Quantity	N.W./G.W. (kg)	Meas. (cu ft)
VTC-38	8, 14, 22, 38	10, 16, 25, 35	8, 6, 4, 2	Carton	5 pcs / carton	18 / 19	0.9
VTC-60	14, 22, 38, 60	16, 25, 35, 60	6, 4, 2, 1/0	Carton	5 pcs / carton	18 / 19	0.9
VTC-80	14, 22, 38, 60, 80	16, 25, 35, 50	6, 4, 2, 1/0, 3/0	Carton	5 pcs / carton	24 / 25	1.1
VTC-100	22, 38, 60, 80, 100	25, 35, 50, 95, 120	4, 2, 1/0, 3/0, 4/0	Carton	5 pcs / carton	24 / 25	1.1
VTC-120	8, 14, 22, 38, 60, 70, 80, 100	10, 16, 25, 35, 50, 70, 95, 120	8, 6, 4, 2, 1/0, 2/0, 3/0, 4/0	Carton	5 pcs / carton	17 / 18	0.6
VTC-150	8, 14, 22, 38, 60, 70, 80, 100, 150	10, 16, 25, 35, 50, 70, 95, 120, 150	8, 6, 4, 2, 1/0, 2/0, 3/0, 4/0, 250-300 MCM	Carton	5 pcs / carton	22 / 23	0.9

EVEN SIX-SIDED CRIMP FOR CABLE LUGS

Hexagonal Crimping Tools

The hexagonal profile compresses the lug evenly on all six sides and creates a larger contact area between conductor and terminal for a secure, reliable electrical connection.



VTC-25H
DIN 6–16 mm²



VTC-50H
DIN 6–50 mm²




VTC-120H
DIN 10–120 mm²



VTC-150H
DIN 25–150 mm²

Model	JIS (mm²)	DIN (mm²)	AWG	Package	Quantity	N.W./G.W. (kg)	Meas. (cu ft)
VTC-25H	—	6, 10, 16	10, 8, 6, 4	Blister card	6 pcs / inner box, 24 pcs / carton	11.5 / 14.4	1.22
VTC-50H	—	6, 10, 16, 25, 35, 50	10, 8, 6, 4, 2, 1/0	Blister card	6 pcs / inner box, 24 pcs / carton	21.4 / 25.4	2.1
VTC-120H	8, 14, 22, 38, 60, 70, 80, 100	10, 16, 25, 35, 50, 70, 95, 120	8, 6, 4, 2, 1/0, 2/0, 3/0, 4/0	Carton	5 pcs / carton	17 / 18	1.9
VTC-150H	8, 14, 22, 38, 60, 70, 80, 100, 150	25, 35, 50, 70, 95, 120, 150	4, 2, 1/0, 2/0, 3/0, 4/0, 250-300 MCM	Carton	5 pcs / carton	17 / 18	1.9



Hexagonal crimp profile

Bolt & Wire Rope Cutters



VRC-0913

Steel bolt cutter 3/8″–1/2″ (8–12 mm)

Heavy-duty bolt cutter for bolts, steel rods, chains and metal materials in industrial, construction, repair and maintenance work.

Type	Heavy-duty steel bolt cutter
Cutting capacity	Available in 3/8″, 1/2″, 8 mm, 10 mm and 12 mm
Cutting head	SCM440, CNC machined
Body material	Ductile cast iron (except handles)
Package	Carton
Quantity	1 pc / carton



CW400/16

Wire rope Ø18 mm · cable 400 mm²

Dual-purpose cutter for steel wire rope, stainless steel wire and electrical cable — one tool for rigging, electrical and maintenance work.

Max. cutting capacity – steel wire rope	Ø18 mm
Max. cutting capacity – stainless steel wire	Ø16 mm
Max. cutting capacity – electrical cable	400 mm^2
Body material	Aluminum alloy
Blade material	SCM440
Package	Carton
Quantity	6 pcs / carton
N.W. / G.W. (per carton)	19.2 kg / 21.2 kg
Carton measurement	2.1 cu ft

WORKING WITH THK CUTTERS

OEM, Packaging & How to Order

OEM & private label

- Your brand or logo pad-printed on the tool
- Custom blister cards, color boxes and white boxes with your design
- Export cartons marked to your requirements
- Flexible quantities — from one carton per model

Packaging options

- **Blister card** — retail-ready, for hanging display
- **Clamshell** — clear retail packaging
- **White box / color box** — for larger tools
- **Pouch** — for tube cutters
- **Carton** — bulk export packing

How to order

1. **Send your inquiry**
   Models, quantities, packaging and destination
2. **Quotation**
   Price list per model
3. **Samples**
   Contact us for sample arrangements
4. **Order & production**
   Lead time agreed with each customer
5. **Inspection & shipment**
   Packed for export from Taiwan

MOQ	Payment	Lead time	Samples
1 carton per model	T/T	Agreed with each customer	Contact us

THK CUTTERS

Request a quote

Send us the models and quantities you need — we reply within 1–2 business days.

EMAIL
sales@thkcutters.com

PHONE / WHATSAPP
+886 936 566 783

TEL
+886 4 2513 2040

WEBSITE
thkcutters.com

FACTORY
No. 56, Ln. 577, Sec. 1, Fengshi Rd., Fengyuan Dist., Taichung City 420, Taiwan
Mon–Fri 08:00–17:00 (GMT+8)

Scan to view all models